

Configura® Comfort


Information & Assessment Form



USER GROUP

To provide comfortable seating to users with mild to moderate postural requirements, to help reduce the formation of pressure ulcers and help to stand or sit users with limited mobility.

APPROPRIATE FOR:



NOT APPROPRIATE FOR:

- Demanding postural requirements
- Users with fixtures and contractures
- Users with a limited extension at the knees

- Users who need to be transported from room to room
- Bariatric users

INTENDED ENVIRONMENT



Domestic use



Care homes or nursing homes



STANDARD CHAIR SPECIFICATION

Configura® Comfort is the latest innovation from Accora and provides an unprecedented level of functionality and cost effectiveness.

Comfort is the result of acting on feedback collected from our customers over the past 5 years and it includes many features you have been asking for as standard.







'Reduce Shear' recline to maximise pelvic stability

Integrated self-supply overlay for easy integration of existing cushions*

Compatible with transfer aids including Cricket, ReTurn 7500 and Molift Raiser

Knock down design for easier storage and single person delivery


Pressure reducing fabric on backrest and armrest as standard

Colour matched vapour permeable fabric

Castors for easy manoeuvrability

More depth adjustment options using backrerst brackets. Reduces the need for depth adjustment kits

60kg legrest capacity



^{*}For further information on the integrated self-supply overlay please see page 11.




PRESCRIBER DETAILS

Name:
Department:
Address:
Telephone:
Email:

USER DETAILS

Name:	
Address:	
	••••
Telephone:	
Email:	
User weight:	
Pressure Care:	
Posture:	• • • • •
Mobility:	
Diagnosis:	
Prognosis:	
Transfer method:	• • • • •
Current seating:	
Problems with current seating:	
Notes:	
	• • • • • •






SIZE

Key thoughts:

- 3 measurements are required for selecting a chair; seat depth, seat height and seat width see below drawings for clarity.
- When selecting a chair size, prioritise the chair measurements in the following order: seat depth, seat height then seat width. This will ensure the selected size is the right overall proportion for the user
- If you cannot find the size you need, check out the other chairs in our range or contact us as we may be able to supply a special size.







Chair Size	Part Number	Sea	t Depth	Seat	Height	Seat W	idth	Weight Capacity
☐ SMALL	CR5404 - Duratek CR5422 - Beige Vinyl CR5443 - Black Vinyl	406	mm (14") ^{#1} mm (16") ^{#2} mm (18")	388 mm 406 mm 432mm	า (16")	457 mm ((18")	Seat: 130kg Legrest: 60kg
☐ MEDIUM	CR5444 - Black Vinyl CR5424 - Beige Vinyl CR5444 - Black Vinyl	356 r 406 r 457 r	mm (20") mm (14") ^{#1} mm (16") ^{#2} mm (18")	432mm 457 mm 482 mm	1 (18") 1 (19") ^{#3}	508 mm (20")		Seat: 160kg Legrest: 60kg
LARGE	CR5408 - Duratek CR5426 - Beige Vinyl CR5445 - Black Vinyl	356 mm (14") #1		432mm 457 mm 482 mm	1 (18") 1 (19") ^{#3}	559 mm (22")	Seat: 160kg Legrest: 60kg
#1 Depth Adjustr			mm (20") ^{#3} Height Adjus		#4 Height Adju	ustment 🗌	#5 Heigh	t Reduction
2 x 2" Kits (100mm) CA2417	2" Kit (50mm) CA2416	+	1" Raising Kit (25mm) CA2421	17	2" Raising Kit (50mm) CA2422	r'7	1" Loweri Kit (18mi CA2423	





PRESSURE

Key thoughts:

- Selection of pressure cushions is a clinical decision which involves many variables including a risk assessment tool. Professional input from a Tissue Viability Nurse or District Nurse may be required at this stage.
- Vapour permeable fabric as standard on seat base, legrest, backrest and armrests.

PRESSURE CARE OPTIONS


Description	Long Description	Part Number	Select
Visco (std)	Prevention: Heat sensitive memory foam moulds to the user providing maximum support and pressure reduction. Suitable for users who are at risk of pressure damage. 160kg (25 stone) weight capacity.	N/A - standard part	
Elata Alternating Air Cushion - E600C	Management: powered air cushion for users who have developed pressure damage. Weight capacity: 160 kg.	Fits all sizes E600C	
Integrated Self Supply	Allows integration of self-supply cushion of approximate dimensions 17.5" x 17.5" x 3". (Professional input required. See page 11 for instructions).	N/A - standard part	

Cushionair:




The Cushionair cushion is a dynamic pressure relieving cushion which is normally recommended for users who have developed pressure damage*.


The principle is that the cells of the cushion inflate and deflate alternately. This provides pressure redistribution via cyclic changes in loading and unloading (http://www.npuap.org/wpcontent/uploads/2012/03/NPUAP_S3I_TD.pdf).








Minimum (mmHg)	0.00
Maximum (mmHg)	84.57
Average (mmHg)	21.51
Variance (mmHg²)	347.67
Standard deviation (mmHg)	18.65
Coefficient of variation (%)	86.69
Horizontal center (cm)	21.73
Vertical center (cm)	28.02
Sensing area (cm²)	1866.24
Regional distribution (%)	100.00







POSTURE

Key thoughts:

- Tilt-in-space can significantly improve midline sitting so increased lateral support may not be necessary if the user tends to slump mildly to one side.
- The Multi-adjustable Pillow Backrest is more adjustable than the Lateral Support Backrest and Adjustable Lateral Support System because filling can be removed to accommodate different postural requirements.

POSTURE MANAGEMENT OPTIONS

Description	Long Description	Part Number	Select	
Multi-adjustable Pillow Backrest (std)	Accommodation: accommodates posture that has already developed i.e. kyphosis; our most popular backrest.	N/A Standard Part		
Lateral Supports	Accommodation: used under the Multi-adjustable Pillow Backrest cushions to provide moderatepostural support SOLD IN A PAIR	CA2413	QTY 2	
Cocoon Backrest	Support: offering additional comfort and support, adjusted by changing the position or amount of stuffing in any of its 9 cells. The "reduced	Fits all sizes Beige - CA2713		
COCOOTI Backlest	shear backrest" mechanism on the Comfort chair complements this backrest by providing extra trunk support, whilst retaining comfort and pelvic position.	shear backrest" mechanism on the Comfort chair complements this backrest by providing extra trunk support, whilst retaining comfort Black - CA2711	Black - CA2711	
Lateral Support	Encouragement: encourages a good midline sitting	Beige Small - CA2406 Beige Medium - CA2407 Beige Large - CA2408	S	
Backrest	position for users whose posture is flexible.	Small - CA2540 Medium - CA2541 Large - CA2542	S	
Adjustable Lateral Support Backrest	Management/correction: contoured foam backrest with adjustable Velcro Lateral Supports. Provides more aggressive lateral support and mild positioning/ correction. Supplied with breathable, pressure reducing fabric.	Small - CA2410 Medium - CA2411 Large - CA2412	S	

continued overpage



Profiled Headrest	Suitable for users with reduced lateral head control. Fits over the	Fits all sizes Beige - CA2419		
Profiled Headrest	shoulders.	Black - CA2530		
2-Button Handset	Suitable for Cognitive Impaired person e.g. dimentia (Chair comes Standard w/ 4-button Handset).	Fits all Chair Sizes SC2316	Scrope State	
Legrest Channel	Provides side support on legrest to reduce abduction	Small - CA2520 Medium - CA2521 Large - CA2522		S M L

Description	Long description	Part Number	Select
Right-hand Side Configura Handset Holder	A great addition for users with dementia, or similar conditions, who may have difficulties locating the handset. Left or right-hand side option. Ideal for users with limited	CA2556	
Left-hand Side Configura Handset Holder	movement on one side of their body from conditions like brain injury or stroke. Users can easily reach the handset from any position, including recline and tilt-in-space, while maintaining optimal posture.	CA2554	

TRANSFER OPTIONS

Description	Long description	Part Number	Select
Lefthand side Dropdown Armrest	Transfer Enables user to do a slideboard transfer in and out of the chair with ease. Can be bolted on at any time if the users needs change.	Small Duratek - CA2484 Beige Vinyl - CA2492 Black Vinyl - CA2534 Medium / Large Duratek - CA2488 Beige Vinyl - CA2496 Black Vinyl - CA2535	S M L
Righthand side Dropdown Armrest	Transfer Enables user to do a slideboard transfer in and out of the chair with ease. Can be bolted on at any time if the users needs change.	Small Duratek - CA2486 Beige Vinyl - CA2494 Black Vinyl - CA2536 Medium / Large Duratek - CA2490 Beige Vinyl - CA2498 Black Viny - CA2537	S M L



EXTRAS

Description	Long description	Part Number		Select
Armrest overhang on outside (std)	Provides a good grip to assist the user rolling from side to side for easier fitting of slings.	Standard Part	BILL	
Armrest overhang on inside	Reduces width between armrests by approximately 38 mm (1.5"). Provides extra arm and elbow support if the user is 'pear shaped' or very thin.	Standard Part	B	
Right hand control (std)	N/A	Standard Part	4 00 1	
Left hand control	N/A	Standard Part	0 0 0	
Carer control	Fitted to backrest out of user reach	Standard Part	100	
Rise (std)	23° of tilt. The most frequently used rise setting. This provides a gentle, progressive movement.	Standard Part		
Medium rise	14° of tilt. There is not a specific user group for this setting – it is normally used if 'Rise' or 'Flat Rise' is inappropriate.	Standard Part		
Flat rise	2° of tilt and 254 mm (10") of rise, used for users with Muscular Dystrophy who need to lock knees before transferring. (Not available on Small chair)	Standard Part		
Legrest Setting 1.	Standard Position	Standard Part		
Legrest Setting 2.	Standard Position + 25 mm (1")	Standard Part		
Legrest Setting 3.	Standard Position + 50 mm (2")	Standard Part		
Legrest Setting 4.	Standard Position -25mm (1")	Standard Part (rotate the footboard 180 degrees)		



TECHNICAL SPECIFICATION

- To provide comfortable seating
- To raise a user from a sitting to a standing position
- To lower a user from a standing to a sitting position
- To tilt in space a user




Figure 1. Spare parts of Configura® Comfort 1 Chair

OVERALL DIMENSIONS

	SMALL	MEDIUM	LARGE
WIDTH	711 mm (28")	762 mm (30")	812 mm (32")
LENGTH - UPRIGHT POSITION	940 mm (37")	940 mm (37")	940 mm (37")
LENGTH - RECLINE POSITION	1702 mm (67")	1702 mm (67")	1702 mm (67")
HEIGHT	1092 mm (43")	1143 mm (45")	1143 mm (45")
MASS	65 kg (143 lbs)	68 kg (150 lbs)	71 kg (156 lbs)

SPECIFIC DIMENSIONS

	SMALL	MEDIUM	LARGE
SEAT HEIGHT	406 mm (16")	457 mm (18")	457 mm (18")
SEAT HEIGHT WITH (HAKS)	457 mm (18")	508 mm (20")	508 mm (20")
SEAT WIDTH	457 mm (18")	508 mm (20")	558 mm (22")
SEAT DEPTH POSITION	457 mm (18")	508 mm (20")	508 mm (20")
ARMREST HEIGHT	180 mm (7")	180 mm (7")	180 mm (7")
RISE HEIGHT TO FRONT OF CHAIR			
STANDARD	546 mm (21.5")	508 mm (20")	508 mm (20")
MEDIUM	622 mm (24.5")	572 mm (22.5")	572 mm (22.5")
FLAT	NA	711 mm (28")	711 mm (28")
CHAIR TO WALL / FURNITURE	457 mm (18")	483 mm (19")	483 mm (19")
SAFE WORKING LOAD	130 kg	160 kg	160kg
BACK HEIGHT	700 mm	700 mm	700 mm



CLEANING INSTRUCTIONS FOR THE FABRIC

Clean and care for the fabric on a regular basis and it will maintain its condition and appearance.

The new generation of Microfibre cleaning cloths without soap are extremely effective for general care and maintenance. You can also wipe clean regularly with a damp cloth to remove dust particles and light soiling. It is recommended to vacuum the upholstery once a week.

Most stains can be removed by wiping clean. Remove spillages promptly (within 15 minutes) with cold water. For extreme soiling control use a 5% Sodium Hypochlorite (Bleach) solution.

Do not machine wash or dry clean.

Do not apply other chemicals such as polish, solvents or stain remover.

INTEGRATED SELF-SUPPLY OVFRI AV

The integrated Self Supply Overlay comes as standard on all chairs.

This allows for easy integration of existing cushions.

The size of the aperture is $445 \text{ mm} \times 445 \text{ mm} \times 76 \text{ mm} (17.5" \times 17.5" \times 3")$.

This means the height of the seat and armrests remain unchanged when using another cushion.



STEP 1

Remove the backrest cushions.



STEP 2

Unzip the cushion cover to expose the foam.



STEP 3

Pull the foam out carefully, starting at the rear and cut the perforations at the front.



STEP 4

This leaves the cut out for the existing cushions to be inserted. Insert the cushion and re zip the cover.



At Enable we source quality, affordable and innovative products globally and have them available for fast delivery. But we do more than just provide products.

We give the knowledge and support to help our customers grow their business and deliver better life care.



ENABLE LIFECARE PTY LTD
T 1300 370 370
enablelifecare.com.au

